



durbin^{dm}
metal industries

metals

...

fasteners

...

plastics

www.durbinmetals.co.uk

A company you can count on...

About Us

Our customers trust us to deliver the right product at the right time, on time, every time.

Our business is based on a tradition of service, aiming to be your first choice supplier of non-ferrous metals, plastics and fasteners.

Durbin Metals combines the strengths of a large business with the friendly, flexible customer-service oriented approach of a local family business.

As a business committed to family values, we have built a focused team that puts customer needs first. This service culture is fundamental to the strength of the relationship between our staff and customers - they trust us to deliver the right product at the right time, on time, every time, supported by the right advice and service.

Our values remain as true today as they did when Durbin Metal Industries was established, embodied in a philosophy of total commitment to customer service and customer care, backed by a comprehensive stock range with a team of people who share these values.

Developing strong partnership with our customers has always been one of our guiding principles, working with them to achieve mutual profit and continued success. The continued loyalty of our customers is testimony to our ability to consistently meet that demand. But we do not take this responsibility lightly and consistently seek ways to improve our service.

We are proud of everything Durbin Metals stands for in our industry.



Our History

The business was formed by the Durbin family in 1982 and started supplying customers in the local area, gradually expanding the territory covered to span the whole of the South West and Midlands regions.

In 1997, we relocated to extensive new premises in Yate, which enabled us to invest in a truly outstanding stock range and to offer an even more impressive service at a competitive price.

In 1998 we opened the Aluminium Plate Centre, with the majority of products being available cut to size on a next day service.

Our transport fleet has grown to offer an unparalleled level of service throughout the South West and Midlands regions on a daily basis.

The latest chapter in our history and the most exciting yet is joining the Amari family of companies. With access to the UK's largest stock of Aluminium, Stainless Steel Copper, Brass, Bronze and Plastics as well as the financial strength and purchasing power of one of Europe's leading metals distributors we are now pushing forward with our next phase of business development.

Aluminium Plate Centre (see page 8)

Our Aluminium Plate Centre, located in Walsall, West Midlands holds over 200 tonnes of stock in two main grades – 6082 T6/T651 and 5083 O/H111. Full plates and cut pieces are available for next day delivery.

Three plate saws with capacity up to 4m long and 152mm thick maintain a tolerance of + or 1 0.2mm.

In addition we have a specialist saw dedicated to cutting circles and rings.

Disclaimer

The information contained herein is based on our present knowledge and experience and is given in good faith. However no liability will be accepted by the Company in respect of any action taken by any third party in reliance thereon.

As the products used herein may be used for a wide variety of purposes and as the Company has no control over their use, the Company specifically excludes all conditions and warranties expressed or implied by statute or otherwise as to dimensions, properties and/or their fitness for any particular purpose. Any advice given by the Company to any third party is given for that party's assistance only and without any liability on the part of the Company.

Any contract between the Company and a customer will be subject to the Company's Conditions of Sale. The extent of the Company's liabilities to any customer is clearly set out in these Conditions; a copy of which is available on request.

Weights

All weights shown in this publication are for guidance only. They are calculated using nominal dimensions and scientifically recognised densities. Please note that in practice, the actual weight can vary significantly from theoretical weight due to variations in manufacturing tolerances and compositions.



April 2010 - Issue 1

© Durbin Metal Industries Ltd



| | |
|--|----|
| Plastics | 4 |
| Fasteners | 5 |
| Aluminium | 6 |
| Sheet..... | 6 |
| Stucco Sheet | 7 |
| Painted Sheet | 7 |
| Shate | 7 |
| Treadplate | 7 |
| 5 Bar Treadplate | 7 |
| Plate | 8 |
| Round Bar | 10 |
| Flat Bar..... | 11 |
| Square Bar..... | 11 |
| Equal Angle..... | 12 |
| Unequal Angle | 12 |
| Channel..... | 13 |
| Tee Section | 13 |
| Round Tube | 14 |
| Scaffold Tube | 14 |
| Box Section - Rectangular..... | 14 |
| Box Section - Square | 14 |
| Mouldings..... | 15 |
| Stainless Steel | 16 |
| Plate..... | 16 |
| Sheet..... | 16 |
| Square Bar..... | 18 |
| Equal Angle..... | 18 |
| Hexagon Bar..... | 18 |
| Round Bar | 19 |
| Flat Bar - Hot Rolled | 20 |
| Flat Bar - Rolled Edge | 20 |
| Structural & Decorative Tube - Round..... | 21 |
| Structural & Decorative Tube - Square..... | 22 |
| Structural & Decorative Tube - Rectangular | 23 |
| Pipe..... | 24 |
| Butt Weld Fittings | 25 |
| Flanges..... | 27 |
| Metric Tube and Fittings..... | 28 |
| Seamless Tube | 29 |
| Hygenic Tube and Fittings | 30 |
| BSP Fittings | 31 |
| Handrail Tube and fittings..... | 32 |
| Slotted Tube System and Fittings | 33 |
| Accessories - Adhesives & Cleaners..... | 33 |
| Copper | 34 |
| Sheet..... | 34 |
| Rod | 34 |
| Flat Bar..... | 35 |
| Round Tube | 35 |
| Brass | 36 |
| Sheet..... | 36 |
| Plate | 36 |
| Tube | 36 |
| Square Bar..... | 36 |
| Equal Angle..... | 36 |
| Rod | 37 |
| Hexagon Bar..... | 38 |
| Flat Bar..... | 38 |
| Bronze | 39 |
| Rod | 39 |



Sheet

Aluminium Sheet Alloy 1050A H14/H24

| Size | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 0.5mm | 2.74 |
| 2500mm X 1250mm X 0.5mm | 4.28 |
| 2000mm X 1000mm X 0.6mm | 3.28 |
| 2500mm X 1250mm X 0.6mm | 5.13 |
| 2000mm X 1000mm X 0.7mm | 3.83 |
| 2500mm X 1250mm X 0.7mm | 5.99 |
| 2000mm X 1000mm X 0.8mm | 4.38 |
| 2500mm X 1250mm X 0.8mm | 6.84 |
| 2438mm X 1219mm X 0.9mm | 7.32 |
| 2000mm X 1000mm X 1.0mm | 5.47 |
| 2500mm X 1250mm X 1.0mm | 8.55 |
| 3000mm X 1250mm X 1.0mm | 10.26 |
| 2000mm X 1000mm X 1.2mm | 6.57 |
| 2438mm X 1219mm X 1.2mm | 9.76 |
| 2500mm X 1250mm X 1.2mm | 10.26 |
| 3000mm X 1250mm X 1.2mm | 12.32 |
| 3000mm X 1500mm X 1.2mm | 14.78 |
| 2000mm X 1000mm X 1.5mm | 8.21 |
| 2500mm X 1000mm X 1.5mm | 10.26 |
| 3000mm X 1000mm X 1.5mm | 12.32 |
| 3100mm X 1000mm X 1.5mm | 12.73 |
| 2500mm X 1250mm X 1.5mm | 12.83 |
| 3000mm X 1250mm X 1.5mm | 15.40 |
| 3250mm X 1250mm X 1.5mm | 16.68 |
| 3500mm X 1250mm X 1.5mm | 17.96 |
| 3750mm X 1250mm X 1.5mm | 19.25 |
| 4000mm X 1250mm X 1.5mm | 20.53 |
| 2500mm X 1500mm X 1.5mm | 15.40 |
| 3000mm X 1500mm X 1.5mm | 18.48 |
| 4000mm X 1500mm X 1.5mm | 24.63 |
| 2438mm x 1219mm x 1.9mm | 15.46 |
| 2500mm x 1250mm x 1.9mm | 16.25 |
| 3100mm x 1250mm x 1.9mm | 20.15 |
| 3000mm x 1500mm x 1.9mm | 23.40 |
| 2000mm X 1000mm X 2.0mm | 10.95 |
| 2500mm X 1000mm X 2.0mm | 13.69 |
| 3000mm X 1000mm X 2.0mm | 16.42 |
| 4000mm X 1000mm X 2.0mm | 21.90 |
| 2500mm X 1250mm X 2.0mm | 17.11 |
| 3000mm X 1250mm X 2.0mm | 20.53 |
| 3100mm X 1250mm X 2.0mm | 21.21 |
| 3250mm X 1250mm X 2.0mm | 22.24 |
| 3500mm X 1250mm X 2.0mm | 23.95 |
| 3750mm X 1250mm X 2.0mm | 25.66 |
| 4000mm X 1250mm X 2.0mm | 27.37 |
| 3000mm X 1400mm X 2.0mm | 22.99 |
| 4000mm X 1400mm X 2.0mm | 30.66 |
| 2500mm X 1500mm X 2.0mm | 20.53 |
| 3000mm X 1500mm X 2.0mm | 24.63 |

| Size | KG/Sheet |
|--------------------------|----------|
| 3100mm X 1500mm X 2.0mm | 25.46 |
| 3250mm X 1500mm X 2.0mm | 26.69 |
| 3500mm X 1500mm X 2.0mm | 28.74 |
| 3750mm X 1500mm X 2.0mm | 30.79 |
| 4000mm X 1500mm X 2.0mm | 32.85 |
| 4000mm X 2000mm X 2.0mm | 43.79 |
| 2438mm x 1219mm x 2.48mm | 20.17 |
| 2000mm X 1000mm X 2.5mm | 13.69 |
| 2500mm X 1250mm X 2.5mm | 21.38 |
| 3000mm X 1500mm X 2.5mm | 30.79 |
| 2438mm x 1219mm x 2.79mm | 22.70 |
| 2438mm x 1219mm x 2.9mm | 23.59 |
| 2500mm x 1250mm x 2.9mm | 24.80 |
| 3100mm x 1250mm x 2.9mm | 30.76 |
| 3000mm x 1500mm x 2.9mm | 35.72 |
| 4000mm x 2000mm x 2.9mm | 63.50 |
| 2000mm X 1000mm X 3.0mm | 16.42 |
| 2500mm X 1000mm X 3.0mm | 20.53 |
| 3000mm X 1000mm X 3.0mm | 24.63 |
| 2500mm X 1250mm X 3.0mm | 25.66 |
| 3000mm X 1250mm X 3.0mm | 30.79 |
| 3100mm X 1250mm X 3.0mm | 31.82 |
| 3250mm X 1250mm X 3.0mm | 33.36 |
| 3500mm X 1250mm X 3.0mm | 35.92 |
| 3750mm X 1250mm X 3.0mm | 38.49 |
| 4000mm X 1250mm X 3.0mm | 41.06 |
| 3000mm X 1400mm X 3.0mm | 34.49 |
| 4000mm X 1400mm X 3.0mm | 45.98 |
| 2500mm X 1500mm X 3.0mm | 30.79 |
| 3250mm X 1500mm X 3.0mm | 40.03 |
| 3000mm X 1500mm X 3.0mm | 36.95 |
| 3100mm X 1500mm X 3.0mm | 38.18 |
| 3500mm X 1500mm X 3.0mm | 43.11 |
| 3750mm X 1500mm X 3.0mm | 46.19 |
| 4000mm X 2000mm X 3.0mm | 65.69 |

Aluminium Sheet Alloy 6082 T6

| Size | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 2.0mm | 17.04 |
| 2500mm X 1250mm X 3.0mm | 25.57 |

Aluminium Architectural Sheet Alloy 1050A H14/H24 PVC Coated one side

| Size | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1600mm X 2.0mm | 21.90 |
| 3000mm X 1600mm X 2.0mm | 26.28 |
| 2500mm X 1750mm X 2.0mm | 23.95 |
| 3000mm X 1750mm X 2.0mm | 28.74 |
| 4000mm X 1750mm X 2.0mm | 38.32 |
| 3000mm X 2000mm X 2.0mm | 32.85 |
| 2500mm X 1600mm X 3.0mm | 32.85 |
| 3000mm X 1600mm X 3.0mm | 39.41 |
| 4000mm X 1600mm X 2.0mm | 35.03 |
| 4000mm X 1600mm X 3.0mm | 52.55 |
| 2500mm X 1750mm X 3.0mm | 35.92 |
| 3000mm X 1750mm X 3.0mm | 43.11 |
| 4000mm X 1750mm X 3.0mm | 57.48 |
| 3000mm X 2000mm X 3.0mm | 49.27 |

Aluminium Sheet Alloy 5251 H22

| Size | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 1.0mm | 5.43 |
| 2500mm X 1250mm X 1.0mm | 8.49 |
| 2000mm X 1000mm X 1.2mm | 6.52 |
| 2500mm X 1250mm X 1.2mm | 10.19 |
| 2000mm X 1000mm X 1.5mm | 8.15 |
| 2500mm X 1250mm X 1.5mm | 12.74 |
| 3000mm X 1500mm X 1.5mm | 18.34 |
| 2000mm X 1000mm X 2.0mm | 10.87 |
| 2500mm X 1250mm X 2.0mm | 16.98 |
| 3000mm X 1500mm X 2.0mm | 24.45 |
| 2000mm X 1000mm X 2.5mm | 13.58 |
| 2500mm X 1250mm X 2.5mm | 21.23 |
| 2000mm X 1000mm X 3.0mm | 16.30 |
| 2500mm X 1250mm X 3.0mm | 25.47 |
| 3000mm X 1500mm X 3.0mm | 36.68 |

Aluminium Sheet Alloy 3103 H14

| Size | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 1.5mm | 12.92 |
| 2500mm X 1250mm X 2.0mm | 17.23 |
| 2500mm X 1250mm X 3.0mm | 25.85 |
| 3000mm X 1250mm X 3.0mm | 31.02 |

Aluminium Sheet Alloy 5083 H111

| Size | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 1.5mm | 12.64 |
| 2500mm X 1250mm X 2.0mm | 16.85 |
| 2500mm X 1250mm X 3.0mm | 25.28 |

continued...



Stucco Sheet

Aluminium Stucco Sheet Alloy 1050A H14

| Size | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 0.5mm | 2.74 |
| 2500mm X 1250mm X 0.5mm | 4.28 |
| 2000mm X 1000mm X 0.6mm | 3.29 |
| 2500mm X 1250mm X 0.6mm | 5.13 |
| 2000mm X 1000mm X 0.7mm | 3.83 |
| 2500mm X 1250mm X 0.7mm | 5.99 |
| 2000mm X 1000mm X 0.8mm | 4.38 |
| 2500mm X 1250mm X 0.8mm | 6.84 |
| 3000mm X 1250mm X 0.9mm | 9.24 |
| 3000mm X 1500mm X 0.9mm | 11.1 |
| 2500mm X 1250mm X 1.0mm | 8.55 |
| 2500mm X 1250mm X 1.2mm | 10.3 |
| 3000mm X 1250mm X 1.2mm | 12.3 |
| 3000mm X 1500mm X 1.2mm | 14.8 |



Painted Sheet

Aluminium Painted Sheet, Alloy 3105/3003 H44 VC1 - White Painted and Vinyl Coated One Side

| Size | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 0.5mm | 2.80 |
| 2500mm X 1250mm X 0.5mm | 4.30 |
| 2000mm X 1000mm X 0.6mm | 3.30 |
| 2500mm X 1250mm X 0.6mm | 5.20 |
| 2500mm X 1250mm X 0.9mm | 7.62 |
| 2500mm X 1250mm X 1.2mm | 10.20 |
| 2500mm X 1250mm X 1.5mm | 12.80 |
| 2500mm X 1250mm X 2.0mm | 15.50 |



Shate

Aluminium Shate Alloy 1050A H14

| Size | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 4.0mm | 34.21 |
| 2500mm X 1250mm X 5.0mm | 42.77 |
| 2500mm X 1250mm X 6.0mm | 51.32 |
| 2000mm X 1000mm X 6.0mm | 32.85 |

Aluminium Shate Alloy 5083 O/H111

| Size | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 4.0mm | 33.71 |
| 2500mm X 1250mm X 5.0mm | 42.14 |
| 2500mm X 1250mm X 6.0mm | 50.56 |
| 2500mm X 1250mm X 8.0mm | 67.42 |

Aluminium Shate Alloy 5251 H22

| Size | KG/Sheet |
|-------------------------|----------|
| 2000mm X 1000mm X 4.0mm | 21.7 |
| 2500mm X 1250mm X 4.0mm | 34.0 |
| 3000mm X 1500mm X 4.0mm | 48.9 |
| 2000mm X 1000mm X 5.0mm | 27.2 |
| 2500mm X 1250mm X 5.0mm | 42.5 |
| 3000mm X 1500mm X 5.0mm | 61.1 |
| 2000mm X 1000mm X 6.0mm | 32.6 |
| 2500mm X 1250mm X 6.0mm | 50.9 |
| 3000mm X 1500mm X 6.0mm | 73.4 |

Aluminium Shate Alloy 6082 T6/T651

| Size | KG/Sheet |
|-------------------------|----------|
| 2500mm X 1250mm X 4.0mm | 34.09 |
| 2500mm X 1250mm X 5.0mm | 42.61 |
| 2500mm X 1250mm X 6.0mm | 51.13 |
| 2500mm X 1250mm X 8.0mm | 68.18 |

Aluminium Shate Alloy 6082 T6/T651

| Size | KG/Sheet |
|--|----------|
| 3048mm X 2032mm X 4.76mm (10ft X 6ft 8in) | 0 80 |
| 3600mm X 2000mm X 4.76mm | H34 93 |
| 2515mm X 1829mm X 6mm (8ft 3in X 6ft) | H111 71 |
| 2595mm X 1874mm X 6mm | H24 79 |
| 2489mm X 1524mm X 6.2mm (8ft 2in X 5ft) | H22 64 |
| 2489mm X 1524mm X 6.2mm (8ft 2in X 5ft) | H34 64 |



Treadplate

Aalco TripleGrip Aluminium Treadplate Alloy 5052 H32

| Size | KG/Sheet |
|---------------------|----------|
| 2500 X 1250 X 1.5mm | 13.9 |
| 2500 X 1250 X 2.0mm | 18.1 |
| 2500 X 1250 X 3.0mm | 26.6 |



5 Bar Treadplate

Aluminium 5-Bar Treadplate Alloy 5754 H114

| Size | KG/Sheet |
|--------------------------|----------|
| 2438mm x 1219mm x 1.95mm | 16.5 |
| 2438mm X 1219mm X 2.0mm | 17.8 |
| 2500mm X 1250mm X 2.0mm | 18.7 |
| 3000mm X 1500mm X 2.0mm | 26.8 |
| 2438mm x 1219mm x 2.95mm | 24.9 |
| 2000mm X 1000mm X 3.0mm | 17.3 |
| 2438mm X 1219mm X 3.0mm | 25.7 |
| 2500mm X 1250mm X 3.0mm | 27.0 |
| 3000mm X 1500mm X 3.0mm | 38.9 |
| 2438mm x 1219mm x 4.4mm | 37.2 |
| 2000mm X 1000mm X 4.5mm | 25.0 |
| 2438mm X 1219mm X 4.5mm | 37.2 |
| 2500mm X 1250mm X 4.5mm | 39.2 |
| 3000mm X 1500mm X 4.5mm | 56.3 |
| 2438mm X 1219mm X 6.0mm | 49.2 |
| 2500mm X 1250mm X 6.0mm | 51.7 |
| 3000mm X 1500mm X 6.0mm | 74.3 |



Plate

Aluminium Plate Centre

Our Aluminium Plate Centre is located at the heart of the UK motorway network in Walsall, West Midlands.

It holds over 200 tonnes of stock in two main grades – 6082 T6/T651 and 5083 O/H111 as well as High Strength Plate and Tooling Plate.

Full plates, cut pieces and circles/rings are available for next day delivery

Three plate saws offer cutting capacity up to 4000mm x 2000mm x 6" (152mm) thick.

The vertical band saw cuts circles and rings up to 1450mm diameter and 5" (127mm) thick.



Standard Plate

Aluminium Plate Alloys 5083 O/H111 and/or 6082 T6/T651 - METRIC

| Size | KG/Plate |
|--------------------|----------|
| 2500 x 1250 x 3mm | 25.5 |
| 2500 x 1250 x 4mm | 33.9 |
| 2500 x 1250 x 5mm | 42.4 |
| 2500 x 1250 x 6mm | 50.9 |
| 2500 x 1250 x 8mm | 67.8 |
| 2500 x 1250 x 10mm | 84.7 |
| 2500 x 1250 x 12mm | 102 |
| 2500 x 1250 x 15mm | 127 |
| 2500 x 1250 x 16mm | 136 |
| 2500 x 1250 x 20mm | 170 |
| 2500 x 1250 x 25mm | 212 |
| 2500 x 1250 x 30mm | 254 |
| 2500 x 1250 x 40mm | 339 |
| 2500 x 1250 x 70mm | 594 |
| 2500 x 1250 x 80mm | 680 |

Aluminium Plate Alloys 5083 O/H111 and/or 6082 T6/T651 - IMPERIAL

| Size | KG/Plate |
|----------------------|----------|
| 2500 x 1250 x 1/4" | 53.8 |
| 2500 x 1250 x 3/8" | 80.8 |
| 2500 x 1250 x 1/2" | 108 |
| 2500 x 1250 x 3/4" | 162 |
| 2500 x 1250 x 7/8" | 188 |
| 2500 x 1250 x 1" | 215 |
| 2500 x 1250 x 1 1/4" | 269 |
| 2500 x 1250 x 1 1/2" | 323 |
| 2500 x 1250 x 1 3/4" | 377 |
| 2500 x 1250 x 2" | 431 |
| 2500 x 1250 x 2 1/4" | 485 |
| 2500 x 1250 x 2 1/2" | 538 |
| 2500 x 1250 x 2 3/4" | 592 |
| 2500 x 1250 x 3" | 646 |
| 2500 x 1250 x 3 1/2" | 754 |
| 2500 x 1250 x 4" | 861 |
| 2500 x 1250 x 4 1/2" | 969 |
| 2500 x 1250 x 5" | 1077 |
| 2500 x 1250 x 6" | 1292 |

High Strength Plate

Content TBC

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Morbi ac lorem et turpis congue viverra vel vitae lectus. Nunc egestas erat in sem pellentesque pulvinar. Curabitur id urna velit. Pellentesque quis dolor odio. Cras varius consequat justo, non convallis dolor tempor eu. Praesent ac gravida mi. Proin sit amet ante vel neque malesuada dictum. Vestibulum a blandit turpis. Vestibulum at risus imperdiet dui fringilla eleifend. Suspendisse potenti. Aenean vel magna sem, ac aliquam nisi. Ut risus urna, sagittis non pulvinar nec, commodo vel lacus. Suspendisse vel tortor quis lectus posuere interdum id a ipsum. Fusce quam arcu, iaculis quis luctus quis, semper in magna. Pellentesque et elit mauris.

Aenean scelerisque pharetra diam id gravida. Mauris placerat vehicula nisi sed tristique. Vestibulum nec dui dui, pharetra pharetra lectus. Integer faucibus mollis sem at ullamcorper. Nullam tempor, turpis a feugiat tincidunt, dolor felis convallis arcu, non bibendum mauris ante at orci. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec arcu erat, suscipit ut adipiscing sodales, lobortis ac magna. Vestibulum ipsum sem, hendrerit vitae aliquam ac, hendrerit at augue. Ut dapibus vehicula sapien, ut eleifend leo pulvinar vel. Donec et mi felis, in ultricies dui. Cras pellentesque, dolor at lobortis cursus, mi ipsum placerat lectus, et lacinia dolor mauris et mi. Pellentesque tristique risus sagittis odio faucibus ac cursus eros suscipit. Maecenas quam nisi, feugiat a sollicitudin quis, euismod quis eros.

Sed in venenatis velit. Vestibulum pharetra, nulla sit amet mattis suscipit, nisi mi feugiat nunc, vehicula egestas erat erat in urna. Proin et nisi neque, et imperdiet lacus. Mauris id eros eu lacus malesuada elementum. In velit lacus, tempor in vulputate sed, gravida quis mauris. Phasellus pharetra consequat mi at faucibus. Pellentesque eu tincidunt metus. Etiam quam nisi, ullamcorper ac commodo et, cursus at ante. Nullam sollicitudin hendrerit dolor id hendrerit. Donec ac odio ut quam ultrices ultrices nec sit amet est.



Plate

Tooling Plate

The stock of PLANCAST tooling plate, available in full plates or cut pieces is shown below.

In addition we can arrange manufacture to order of any thickness and any plate size up to 4000mm x 2000mm.

Standard Thickness Tolerance :
plus or minus 0.1mm

Standard Flatness Tolerance :
0.35 mm (up to & inc 15 mm Thick)
0.15 mm (over 15 mm Thick)

PLANCAST PLUS Aluminium Tooling Plate – Fine Milled

| Size | KG/Plate |
|------------------------|----------|
| 3000mm x 1500mm x 5mm | 60.98 |
| 3000mm x 1500mm x 6mm | 73.2 |
| 3000mm x 1500mm x 8mm | 97.6 |
| 3000mm x 1500mm x 10mm | 122 |
| 3000mm x 1500mm x 12mm | 146 |
| 3000mm x 1500mm x 15mm | 183 |
| 3000mm x 1500mm x 16mm | 195 |
| 3000mm x 1500mm x 20mm | 244 |
| 3000mm x 1500mm x 25mm | 305 |
| 3000mm x 1500mm x 30mm | 366 |
| 3000mm x 1500mm x 35mm | 427 |
| 3000mm x 1500mm x 40mm | 488 |
| 3000mm x 1500mm x 50mm | 610 |
| 3000mm x 1500mm x ½" | 154.9 |
| 3000mm x 1500mm x ¼" | 387.2 |

PLANODD09 Aluminium Tooling Plate – Fine Milled

| Size | KG/Plate |
|------------------------|----------|
| 3000mm x 1500mm x 6mm | 73.2 |
| 2960mm x 1485mm x 10mm | 119 |
| 3000mm x 1500mm x 36mm | 440 |
| 2960mm x 1485mm x 43mm | 513 |

Temper - Work Hardening Alloys

Work hardening alloys i.e. Non heat treatable, include commercially pure aluminium and the alloys including manganese or magnesium.

The degree of work hardening is expressed as a temper H. These alloys can be fully or partly softened by annealing (at 350-400 degrees C).

| New Symbol | Description | Old BS Symbol |
|------------|---|---------------|
| O | Annealed, soft | O |
| F | As fabricated | M |
| H12 | Strain-hardened, quarter hard | H2 |
| H14 | Strain-hardened, half hard | H4 |
| H16 | Strain-hardened, three quarter hard | H6 |
| H18 | Strain-hardened, fully hard | H8 |
| H22 | Strain-hardened, partially annealed, quarter hard | H2 |
| H24 | Strain-hardened, partially annealed, half hard | H4 |
| H26 | Strain-hardened, partially annealed, three quarter hard | H6 |



Temper - Heat Treatable Alloys

Heat treatable alloys or precipitation hardening alloys include copper, magnesium, zinc and silicon as important constituents. For these alloys, the designation system uses the letter T following the grade.

T3
Solution heat-treated, cold worked and naturally aged to a substantially stable condition. The designation applies to products which are cold worked to improve strength after solution heat treatment, or in which the effect of cold work in flattening or straightening is recognised in mechanical property limits.

T4
Solution heat-treated and naturally aged to a substantially stable condition.

T6
Solution heat-treated and then artificially aged. This designation applies to products which are not cold worked after solution heat treatment, or in which the effect of cold work in flattening or straightening may not be recognised in mechanical property limits.

T7
Solution heat-treated and then artificially aged. This designation applies to products which are artificially aged after solution heat treatment to provide control of some significant characteristic other than mechanical properties.

T8
Solution heat-treated, cold worked and then artificially aged. The designation applies to products which are cold worked to improve strength, or in which the effect of cold work in flattening or straightening is recognised in mechanical property limits.

T9
Solution heat-treated, artificially aged and then cold worked. This designation applies to products which are cold worked to improve strength.

T651
Solution heat-treated, stress relieved by stretching a controlled amount (permanent set 0.5% to 3% for sheet, 1.5% to 3% for plate, 1% to 3% for rolled or cold-finished rod or bar) and then artificially aged. The products receive no further straightening after stretching.



Round Bar

Aluminium Round Bar Alloy 6026 T9

| Size | KG/Metre |
|----------------------|----------|
| 3/8" DIA (9.525mm) | 0.19 |
| 7/16" DIA (11.112mm) | 0.26 |
| 1/2" DIA (12.7mm) | 0.34 |
| 16mm DIA | 0.54 |
| 3/4" DIA (19.05mm) | 0.77 |
| 20mm DIA | 0.85 |
| 7/8" DIA (22.225mm) | 1.05 |
| 1" DIA (25.4mm) | 1.37 |
| 1 1/8" DIA (28.58mm) | 1.73 |
| 1 1/4" DIA (31.75mm) | 2.14 |
| 35mm DIA | 2.60 |
| 1 1/2" DIA (38.1mm) | 3.08 |
| 40mm DIA | 3.52 |
| 1 5/8" DIA (41.28mm) | 3.61 |
| 1 3/4" DIA (44.45mm) | 4.19 |
| 2" DIA (50.8mm) | 5.47 |
| 2 1/4" DIA (57.15mm) | 6.93 |
| 2 3/8" DIA (60.33) | 7.72 |
| 2 1/2" DIA (63.5mm) | 8.55 |
| 3" DIA (76.2mm) | 12.31 |
| 3 1/2" DIA (88.9mm) | 16.76 |
| 4" DIA (101.6mm) | 21.89 |

Aluminium Round Bar Alloy 2011 T3

| Size | KG/Metre |
|------------------------|----------|
| 7/16" DIA (11.112mm) | 0.28 |
| 1/2" DIA (12.7mm) | 0.36 |
| 9/16" DIA (14.287mm) | 0.46 |
| 5/8" DIA (15.875mm) | 0.56 |
| 3/4" DIA (19.05mm) | 0.81 |
| 7/8" DIA (22.225mm) | 1.10 |
| 1 1/16" DIA (17.462mm) | 0.68 |
| 1 3/16" DIA (20.637mm) | 0.95 |
| 1" DIA (25.4mm) | 1.44 |
| 1 1/8" DIA (28.58mm) | 1.82 |
| 1 1/4" DIA (31.75mm) | 2.25 |
| 1 5/16" DIA (33.337mm) | 2.48 |
| 1 3/8" DIA (34.93mm) | 2.72 |
| 1 1/2" DIA (38.1mm) | 3.24 |
| 1 5/8" DIA (41.28mm) | 3.80 |
| 1 3/4" DIA (44.45mm) | 4.41 |
| 1 7/8" DIA (47.65mm) | 5.06 |
| 2" DIA (50.8mm) | 5.76 |
| 2 1/4" DIA (57.15mm) | 7.29 |
| 2 1/2" DIA (63.5mm) | 8.99 |
| 2 5/8" DIA (66.67mm) | 9.92 |
| 2 3/4" DIA (69.85mm) | 10.88 |
| 3" DIA (76.2mm) | 12.95 |
| 3 1/4" DIA (82.55mm) | 15.20 |
| 3 1/2" DIA (88.9mm) | 17.63 |
| 4" DIA (101.6mm) | 23.02 |
| 4 1/2" DIA (114.3mm) | 29.14 |

Aluminium Round Bar Alloy 6082 T6

| Size | KG/Metre |
|-----------------------|----------|
| 1/4" DIA (6.35mm) | 0.09 |
| 5/16" DIA (7.937mm) | 0.13 |
| 3/8" DIA (9.525mm) | 0.19 |
| 1/2" DIA (12.7mm) | 0.34 |
| 5/8" DIA (15.875mm) | 0.53 |
| 3/4" DIA (19.05mm) | 0.77 |
| 7/8" DIA (22.225mm) | 1.05 |
| 1" DIA (25.4mm) | 1.37 |
| 1 1/8" DIA (28.58mm) | 1.73 |
| 1 1/4" DIA (31.75mm) | 2.14 |
| 1 3/8" DIA (34.93mm) | 2.59 |
| 1 1/2" DIA (38.1mm) | 3.08 |
| 1 5/8" DIA (41.28mm) | 3.61 |
| 1 3/4" DIA (44.45mm) | 4.19 |
| 1 7/8" DIA (47.65mm) | 4.81 |
| 2" DIA (50.8mm) | 5.47 |
| 2 1/8" DIA (53.975mm) | 6.18 |
| 2 1/4" DIA (57.15mm) | 6.93 |
| 2 3/8" DIA (60.33mm) | 7.72 |
| 2 1/2" DIA (63.5mm) | 8.55 |
| 2 5/8" DIA (66.67mm) | 9.43 |
| 2 3/4" DIA (69.85mm) | 10.35 |
| 3" DIA (76.2mm) | 12.31 |
| 3 1/4" DIA (82.55mm) | 14.45 |
| 3 1/2" DIA (88.9mm) | 16.76 |
| 4" DIA (101.6mm) | 23.02 |
| 4 1/2" DIA (114.3mm) | 29.14 |
| 3 3/4" DIA (95.25mm) | 19.24 |
| 4" DIA (101.6mm) | 21.89 |
| 4 1/4" DIA (107.95mm) | 24.71 |
| 4 1/2" DIA (114.3mm) | 27.70 |
| 4 3/4" DIA (120.65mm) | 30.87 |
| 5" DIA (127.0mm) | 34.20 |
| 5 1/4" DIA (133.35mm) | 37.71 |
| 5 1/2" DIA (139.7mm) | 41.39 |
| 5 3/4" DIA (146.05mm) | 45.23 |
| 6" DIA (152.4mm) | 49.25 |
| 6 1/2" DIA (165.1mm) | 57.80 |
| 7" DIA (177.8mm) | 67.04 |
| 7 1/4" DIA (184.15mm) | 71.91 |
| 7 1/2" DIA (190.5mm) | 76.96 |
| 8" DIA (203.2mm) | 87.56 |
| 8 1/2" DIA (215.9mm) | 98.85 |
| 9" DIA (228.6mm) | 110.82 |
| 9 1/2" DIA (241.3mm) | 123.47 |
| 10" DIA (254.0mm) | 136.81 |
| 12" DIA (304.8mm) | 197.01 |
| 13" DIA (330.20mm) | 231.21 |
| 14" DIA (355.60mm) | 268.15 |
| 15" DIA (381.0mm) | 307.83 |
| 16" DIA (406.40mm) | 350.24 |



Flat Bar

Aluminium Flat Bar Alloy 6082 T6

| Size | KG/Metre |
|-----------------|----------|
| 3/8" X 1/4" | 0.16 |
| 1/2" X 1/4" | 0.22 |
| 1/2" X 3/8" | 0.33 |
| 5/8" X 1/8" | 0.14 |
| 5/8" X 3/16" | 0.20 |
| 5/8" X 1/4" | 0.27 |
| 5/8" X 3/8" | 0.41 |
| 5/8" X 1/2" | 0.54 |
| 3/4" X 1/8" | 0.16 |
| 3/4" X 3/16" | 0.24 |
| 3/4" X 1/4" | 0.33 |
| 3/4" X 3/8" | 0.49 |
| 3/4" X 1/2" | 0.65 |
| 3/4" X 5/8" | 0.82 |
| 1" X 1/8" | 0.22 |
| 1" X 3/16" | 0.33 |
| 1" X 1/4" | 0.44 |
| 1" X 5/16" | 0.54 |
| 1" X 3/8" | 0.65 |
| 1" X 1/2" | 0.87 |
| 1" X 5/8" | 1.09 |
| 1" X 3/4" | 1.31 |
| 1 1/4" X 1/8" | 0.27 |
| 1 1/4" X 3/16" | 0.41 |
| 1 1/4" X 1/4" | 0.54 |
| 1 1/4" X 3/8" | 0.82 |
| 1 1/4" X 1/2" | 1.09 |
| 1 1/4" X 5/8" | 1.36 |
| 1 1/4" X 3/4" | 1.63 |
| 1 1/4" X 1" | 2.18 |
| 1 1/2" X 1/8" | 0.33 |
| 1 1/2" X 3/16" | 0.49 |
| 1 1/2" X 1/4" | 0.65 |
| 1 1/2" X 3/8" | 0.98 |
| 1 1/2" X 1/2" | 1.31 |
| 1 1/2" X 5/8" | 1.63 |
| 1 1/2" X 3/4" | 1.96 |
| 1 1/2" X 1" | 2.61 |
| 1 1/2" X 1 1/4" | 3.27 |
| 1 3/4" X 1/4" | 0.76 |
| 1 3/4" X 3/8" | 1.14 |
| 1 3/4" X 1/2" | 1.52 |
| 1 3/4" X 3/4" | 2.29 |
| 1 3/4" X 1" | 3.05 |
| 1 3/4" X 1 1/4" | 3.81 |
| 2" X 1/8" | 0.44 |
| 2" X 3/16" | 0.65 |
| 2" X 1/4" | 0.87 |
| 2" X 3/8" | 1.31 |

continued...



Aluminium Flat Bar Alloy 6063A T6

| Size | KG/Metre |
|---------------|----------|
| 1/2" X 1/8" | 0.11 |
| 1/2" X 3/16" | 0.16 |
| 7/8" X 1/8" | 0.19 |
| 1" X 1/16" | 0.11 |
| 1" X 1/8" | 0.22 |
| 1" X 3/16" | 0.33 |
| 1 1/2" X 1/8" | 0.33 |
| 2" X 1/8" | 0.44 |
| 3" X 1/8" | 0.65 |
| 4" X 1/8" | 0.87 |



Square Bar

Aluminium Square Bar Alloy 6082 T6

| Size | KG/Metre |
|---------------|----------|
| 1/4" SQUARE | 0.11 |
| 3/16" SQUARE | 0.17 |
| 3/8" SQUARE | 0.25 |
| 1/2" SQUARE | 0.44 |
| 5/8" SQUARE | 0.68 |
| 3/4" SQUARE | 0.98 |
| 7/8" SQUARE | 1.34 |
| 1" SQUARE | 1.74 |
| 1 1/4" SQUARE | 2.72 |
| 1 1/2" SQUARE | 3.92 |
| 1 3/4" SQUARE | 5.34 |
| 2" SQUARE | 6.97 |
| 2 1/2" SQUARE | 10.90 |
| 3" SQUARE | 15.80 |
| 3 1/2" SQUARE | 21.40 |
| 4" SQUARE | 27.90 |

Aluminium



Equal Angle

Aluminium Equal Angle Alloy 6082 T6

| Size | KG/Metre |
|-------------------------|----------|
| 1/2" X 1/2" X 1/8" | 0.19 |
| 3/4" X 3/4" X 1/8" | 0.30 |
| 1" X 1" X 1/8" | 0.41 |
| 1" X 1" X 3/16" | 0.59 |
| 1" X 1" X 1/4" | 0.76 |
| 1 1/4" X 1 1/4" X 1/8" | 0.52 |
| 1 1/4" X 1 1/4" X 3/16" | 0.75 |
| 1 1/4" X 1 1/4" X 1/4" | 0.98 |
| 1 1/2" X 1 1/2" X 1/8" | 0.63 |
| 1 1/2" X 1 1/2" X 3/16" | 0.92 |
| 1 1/2" X 1 1/2" X 1/4" | 1.20 |
| 1 3/4" X 1 3/4" X 3/16" | 1.08 |
| 1 3/4" X 1 3/4" X 1/4" | 1.42 |
| 2" X 2" X 1/8" | 0.85 |
| 2" X 2" X 3/16" | 1.24 |
| 2" X 2" X 1/4" | 1.63 |
| 2" X 2" X 3/8" | 2.37 |
| 2 1/2" X 2 1/2" X 3/16" | 1.57 |
| 2 1/2" X 2 1/2" X 1/4" | 2.07 |
| 3" X 3" X 1/8" | 1.28 |
| 3" X 3" X 3/16" | 1.90 |
| 3" X 3" X 1/4" | 2.50 |
| 3" X 3" X 3/8" | 3.68 |
| 4" X 4" X 1/4" | 3.37 |
| 4" X 4" X 3/8" | 4.98 |
| 6" X 6" X 1/2" | 10.02 |



Unequal Angle

Aluminium UN-Equal Angle Alloy 6063A T6

| Size | KG/Metre |
|----------------------|----------|
| 3/4" X 1/2" X 1/8" | 0.13 |
| 3/4" X 1/2" X 1/4" | 0.25 |
| 1" X 1/2" X 1/8" | 0.16 |
| 1" X 1/2" X 1/4" | 0.30 |
| 1" X 3/8" X 1/8" | 0.33 |
| 1" X 3/4" X 1/8" | 0.18 |
| 1" X 3/4" X 1/4" | 0.35 |
| 1 1/4" X 1/2" X 1/8" | 0.35 |
| 1 1/4" X 3/4" X 1/8" | 0.41 |
| 1 1/4" X 1" X 1/8" | 0.46 |
| 1 1/2" X 3/4" X 1/8" | 0.46 |
| 1 1/2" X 1" X 1/8" | 0.52 |
| 1 3/4" X 1" X 1/8" | 0.57 |
| 2" X 1 1/2" X 1/8" | 0.52 |
| 2" X 3/4" X 1/8" | 0.57 |
| 50mm X 25mm X 3.0mm | 0.58 |
| 2" X 1" X 1/8" | 0.63 |
| 2" X 1 1/2" X 1/8" | 0.74 |
| 2 1/2" X 1" X 1/8" | 0.74 |
| 3" X 2" X 1/8" | 1.06 |
| 4" X 1" X 1/8" | 1.06 |
| 4" X 2" X 1/8" | 1.28 |

Aluminium UN-Equal Angle Alloy 6082 T6

| Size | KG/Metre |
|-------------------------|----------|
| 1 1/2" X 1" X 1/8" | 0.52 |
| 2" X 1" X 1/8" | 0.63 |
| 2" X 1" X 3/16" | 0.92 |
| 2" X 1" X 1/4" | 1.20 |
| 2" X 1 1/2" X 1/8" | 0.74 |
| 2" X 1 1/2" X 3/16" | 1.08 |
| 2" X 1 1/2" X 1/4" | 1.41 |
| 2 1/2" X 1 1/2" X 3/16" | 1.24 |
| 2 1/2" X 1 1/2" X 1/4" | 1.63 |
| 3" X 1" X 1/8" | 0.85 |
| 3" X 1" X 1/4" | 1.64 |
| 3" X 1 1/2" X 1/8" | 0.95 |
| 3" X 1 1/2" X 3/16" | 1.41 |
| 3" X 1 1/2" X 1/4" | 1.85 |
| 3" X 2" X 1/8" | 1.06 |
| 3" X 2" X 3/16" | 1.57 |
| 3" X 2" X 1/4" | 2.07 |
| 4" X 2" X 1/4" | 2.50 |
| 4" X 3" X 1/4" | 2.94 |
| 6" X 3" X 3/8" | 5.64 |



Channel

Aluminium Channel Alloy 6063/6063A T6

| Size | KG/Metre |
|-------------------------------|----------|
| 3/8" X 3/8" X 1/16" X 1/16" | 0.11 |
| 1/2" X 1/2" X 1/16" X 1/16" | 0.15 |
| 1/2" X 1/2" X 1/8" X 1/8" | 0.27 |
| 5/8" X 5/8" X 1/16" X 1/16" | 0.19 |
| 5/8" X 5/8" X 1/8" X 1/8" | 0.35 |
| 3/4" X 3/4" X 1/16" X 1/16" | 0.23 |
| 3/4" X 3/4" X 1/8" X 1/8" | 0.44 |
| 7/8" X 7/8" X 1/16" X 1/16" | 0.52 |
| 1" X 1/2" X 1/8" X 1/8" | 0.38 |
| 1" X 3/4" X 1/8" X 1/8" | 0.49 |
| 1" X 1" X 1/16" X 1/16" | 0.31 |
| 1" X 1" X 1/8" X 1/8" | 0.60 |
| 1 1/4" X 3/4" X 1/8" X 1/8" | 0.55 |
| 1 1/4" X 1" X 1/8" X 1/8" | 0.65 |
| 1 1/4" X 1 1/4" X 1/8" X 1/8" | 0.76 |
| 1 1/2" X 3/4" X 1/8" X 1/8" | 0.60 |
| 1 1/2" X 1 1/2" X 1/8" X 1/8" | 0.93 |
| 1 3/4" X 1" X 1/8" X 1/8" | 0.76 |
| 2" X 1/2" X 1/8" X 1/8" | 0.60 |
| 2" X 3/4" X 1/8" X 1/8" | 0.71 |
| 2" X 1" X 1/8" X 1/8" | 0.82 |
| 2" X 1" X 3/16" X 3/16" | 1.18 |
| 2" X 1 1/2" X 1/8" X 1/8" | 1.04 |
| 2" X 2" X 1/8" X 1/8" | 1.25 |
| 2 1/2" X 1" X 1/8" X 1/8" | 0.93 |
| 4" X 2" X 1/8" X 1/8" | 1.69 |

Aluminium Channel Alloy 6082 T6

| Size | KG/Metre |
|---------------------------------|----------|
| 1 1/4" X 1 1/4" X 1/8" X 1/8" | 0.76 |
| 1 1/2" X 1 1/2" X 1/8" X 1/8" | 0.49 |
| 1 1/2" X 1" X 1/8" X 1/8" | 0.71 |
| 1 1/2" X 1 1/2" X 1/8" X 1/8" | 0.93 |
| 1 1/2" X 1 1/2" X 3/16" X 3/16" | 1.35 |
| 1 1/2" X 1 1/2" X 1/4" X 1/4" | 1.74 |
| 2" X 1" X 1/8" X 1/8" | 0.82 |
| 2" X 1" X 1/4" X 1/4" | 1.52 |
| 2" X 1 1/2" X 1/4" X 1/4" | 1.96 |
| 2" X 2" X 3/16" X 3/16" | 1.84 |
| 2" X 2" X 1/4" X 1/4" | 2.40 |
| 2 1/4" X 1 1/4" X 3/16" X 3/16" | 1.43 |
| 2 1/2" X 1 1/4" X 3/16" X 3/16" | 1.51 |
| 3" X 1" X 1/8" X 1/8" | 1.04 |
| 3" X 1 1/2" X 1/8" X 1/8" | 1.25 |
| 3" X 1 1/2" X 3/16" X 3/16" | 1.84 |
| 3" X 1 1/2" X 1/4" X 1/4" | 2.67 |
| 3" X 2" X 1/8" X 1/8" | 1.47 |
| 3" X 2" X 3/16" X 3/16" | 2.16 |
| 3" X 2" X 1/4" X 1/4" | 2.83 |
| 3 1/2" X 1 1/2" X 1/4" X 5/16" | 2.95 |
| 4" X 2" X 1/4" X 5/16" | 3.65 |
| 5" X 2" X 1/4" X 5/16" | 4.08 |
| 6" X 2" X 1/4" X 5/16" | 4.52 |
| 6" X 3" X 1/4" X 3/8" | 6.21 |
| 6" X 3" X 3/8" X 1/2" | 8.49 |
| 8" X 3" X 3/8" X 1/2" | 9.80 |
| 10" X 3" X 3/8" X 1/2" | 11.10 |



Tee Section

Aluminium Tee Alloy 6063A T6

| Size | KG/Metre |
|------------------------|----------|
| 3/4" X 3/4" X 1/8" | 0.30 |
| 1" X 1" X 1/8" | 0.41 |
| 1 1/4" X 1 1/4" X 1/8" | 0.52 |
| 1 1/2" X 1 1/2" X 1/8" | 0.63 |
| 2" X 1" X 1/8" | 0.63 |
| 2" X 2" X 1/8" | 0.85 |

Aluminium Tee Alloy 6082 T6

| Size | KG/Metre |
|-------------------------|----------|
| 1 1/2" X 1 1/2" X 3/16" | 0.92 |
| 1 1/2" X 1 1/2" X 1/4" | 1.20 |
| 2" X 2" X 3/16" | 1.25 |
| 2" X 2" X 1/4" | 1.63 |
| 3" X 3" X 1/4" | 2.51 |

Aluminium



Round Tube

Aluminium Tube Alloy 6082 T6

| Size | KG/Metre |
|-----------------|----------|
| ½" O/D X 10SWG | 0.26 |
| ⅝" O/D X 10SWG | 0.35 |
| ¾" O/D X 10SWG | 0.44 |
| ⅞" O/D X 10SWG | 0.52 |
| 1" O/D X 16SWG | 0.33 |
| 1" O/D X 10SWG | 0.61 |
| 1" O/D X ⅜" | 0.83 |
| 1" O/D X ¼" | 1.03 |
| 1⅝" O/D X 10SWG | 0.70 |
| 1¼" O/D X 16SWG | 0.40 |
| 1¼" O/D X ⅜" | 1.10 |
| 1¼" O/D X 10SWG | 0.80 |
| 1⅜" O/D X 10SWG | 0.87 |
| 1½" O/D X 10SWG | 0.96 |
| 1½" O/D X ⅜" | 1.35 |
| 1½" O/D X ¼" | 1.71 |
| 1⅞" O/D X 10SWG | 1.00 |
| 1⅞" O/D X ⅜" | 1.50 |
| 1¾" O/D X 16SWG | 0.59 |
| 1¾" O/D X 10SWG | 1.14 |
| 1⅞" O/D X 10SWG | 1.22 |
| 2" O/D X 16SWG | 0.70 |
| 2" O/D X 10SWG | 1.30 |
| 2" O/D X ⅜" | 1.90 |
| 2" O/D X ¼" | 2.40 |
| 2¼" O/D X 16SWG | 0.77 |
| 2¼" O/D X 10SWG | 1.49 |
| 2½" O/D X 16SWG | 0.90 |
| 2½" O/D X 10SWG | 1.60 |
| 2½" O/D X ⅜" | 2.40 |
| 2½" O/D X ¼" | 3.10 |
| 2½" O/D X ⅝" | 4.40 |
| 3½" O/D X ¼" | 4.45 |
| 2¾" O/D X 10SWG | 1.80 |
| 3" O/D X 16SWG | 1.00 |
| 3" O/D X 10SWG | 2.00 |
| 3" O/D X ⅜" | 2.90 |
| 3" O/D X ¼" | 3.80 |
| 3½" O/D X 16SWG | 1.21 |
| 3½" O/D X 10SWG | 2.36 |
| 4" O/D X 10SWG | 2.71 |
| 4" O/D X ¼" | 5.13 |
| 4½" O/D X 10SWG | 3.00 |
| 4½" O/D X ¼" | 5.80 |
| 5" O/D X 10SWG | 3.30 |
| 5" O/D X ¼" | 6.50 |
| 6" O/D X 10SWG | 4.03 |
| 6" O/D X ¼" | 7.90 |
| 6½" O/D X ¼" | 8.55 |

Aluminium Tube Alloy 6063 T6

| Size | KG/Metre |
|-----------------|----------|
| ⅜" O/D X 16SWG | 0.11 |
| ½" O/D X 18SWG | 0.12 |
| ½" O/D X 16SWG | 0.15 |
| ⅝" O/D X 18SWG | 0.15 |
| ⅝" O/D X 16SWG | 0.20 |
| ¾" O/D X 18SWG | 0.18 |
| ¾" O/D X 16SWG | 0.24 |
| ¾" O/D X 10SWG | 0.44 |
| ⅞" O/D X 18SWG | 0.22 |
| ⅞" O/D X 16SWG | 0.28 |
| ⅞" O/D X 10SWG | 0.52 |
| 1" O/D X 18SWG | 0.25 |
| 1" O/D X 10SWG | 0.61 |
| 1¼" O/D X 18SWG | 0.32 |
| 1⅝" O/D X 16SWG | 0.37 |
| 1½" O/D X 18SWG | 0.38 |
| 1¼" O/D X 16SWG | 0.40 |
| 1¼" O/D X 10SWG | 0.80 |
| 1⅜" O/D X 16SWG | 0.46 |
| 1⅝" O/D X 16SWG | 0.50 |
| 1½" O/D X 16SWG | 0.50 |
| 1½" O/D X 10SWG | 0.96 |
| 2" O/D X 16SWG | 0.70 |
| 2" O/D X 10SWG | 1.30 |
| 2¼" O/D X 10SWG | 1.49 |
| 3" O/D X 10SWG | 2.00 |
| 4" O/D X 16SWG | 1.38 |

Aluminium Tube Alloy 6082 T6 (BS1474)

| Size | KG/Metre |
|----------------|----------|
| 1¾" OD X 10SWG | 1.14 |
| 2" OD X ¼" | 2.39 |
| 2" OD X ⅜" | 1.86 |
| 3.1/2" OD X ¼" | 4.45 |



Scaffold Tube

Scaffold tube is drift tested to BS 1139

| Size | KG/Metre |
|--|----------|
| 1 ²⁹ / ₃₂ o/d x 7swg (0.176"/4.47mm) | 1.53 |



Box Section - Rectangular

Aluminium Rectangular Tube Alloy 6063 T6

| Size | KG/Metre |
|---------------------|----------|
| 1½" X ¾" X ⅛" | 0.46 |
| 1½" X 1" X 16SWG | 0.53 |
| 1½" X 1" X 10SWG | 1.00 |
| 50mm X 25mm X 3.0mm | 1.18 |
| 2" X 1" X 10SWG | 1.22 |
| 2" X 1½" X 10SWG | 1.45 |
| 3" X 1" X 10SWG | 1.67 |
| 3" X 1½" X 10SWG | 1.89 |
| 3" X 2" X 10SWG | 2.11 |
| 4" X 1" X 10SWG | 2.11 |
| 4" X 1¾" X 10SWG | 2.45 |
| 4" X 2" X 10SWG | 2.56 |
| 6" X 2" X 10SWG | 3.45 |
| 6" X 3" X ⅝" | 10.80 |



Box Section - Square

Aluminium Square Tube Alloy 6082 T6

| Size | KG/Metre |
|-----------------|----------|
| ½" SQ X 16SWG | 0.20 |
| ¾" SQ X 16SWG | 0.31 |
| 1" SQ X 16SWG | 0.42 |
| 1" SQ X 10SWG | 0.78 |
| 1¼" SQ X 16SWG | 0.53 |
| 1¼" SQ X 10SWG | 1.00 |
| 1½" SQ X 16SWG | 0.64 |
| 1½" SQ X 10SWG | 1.22 |
| 1¾" SQ X 10SWG | 1.45 |
| 2" SQ X 16SWG | 0.87 |
| 2" SQ X 10SWG | 1.67 |
| 50mm SQ X 3.0mm | 1.52 |
| 2½" SQ X 10SWG | 2.12 |
| 3" SQ X 10SWG | 2.56 |


Aluminium Square Tube Alloy 6063 T6

| Size | KG/Metre |
|----------------|----------|
| 1" SQ X 10SWG | 0.78 |
| 1¼" SQ X 16SWG | 0.53 |
| 1½" SQ X 10SWG | 1.22 |
| 2" SQ X 10SWG | 1.67 |
| 2" SQ X ¼" | 3.05 |
| 4" SQ X 10SWG | 3.45 |
| 4" SQ X ¼" | 6.53 |




Mouldings


These are a selection of the many shapes available and may not be shown at actual size




M101
Wt 0.43Kg/m




M102
Wt 0.27Kg/m




M103
Wt 0.20Kg/m




M104
Wt 0.14Kg/m




M105
Wt 0.21Kg/m




M106
Wt 0.14Kg/m




M109
Wt 0.30Kg/m




M116
Wt 0.30Kg/m




M117
Wt 0.27Kg/m



M118
Wt 0.52Kg/m




M107
Wt 0.19Kg/m




MJ52/GUT1504
Wt 0.28Kg/m



M306
Wt 0.23Kg/m



M150
Wt 0.33Kg/m




M200
Wt 0.44Kg/m



FH70
Wt 0.27Kg/m



FH3
Wt 0.50Kg/m



FS4
Wt 0.25Kg/m

durbin^{dm}

metal industries



Unit O, Lawrence Drive,
Stover Trading Estate
Yate, Bristol, BS37 5PG

t: 01454 322668

f: 01454 317415

mail@durbinmetals.co.uk

www.durbinmetals.co.uk

